



# CERTIFICATE

CI000016

United Registrar of System GmbH

## TS 4.2 Registered laboratory

Sídlištní 136/24,165 00 Praha, Czech Republic

Registration number GMP+: **GMP050489**

The Certification Body United Registrar of Systems GmbH states that GMP+ Certified Company

## Státní veterinární ústav Praha

was audited in accordance with the applicable requirements of the TS 4.2 Registered laboratory and GMP+ Feed Safety Assurance Module 2020.

The Certification Body United Registrar of Systems GmbH states, based on a desk study, that the performance criteria as mentioned in the TS 4.2 Registered laboratory are met for the following analyses:

Certificate number:	<b>007221-0658</b>
Start date:	<b>26. 5. 2026</b>
End date:	<b>9. 3. 2027</b>

On behalf of the certification body:



United Registrar of Systems GmbH, Penthouse Office Center, Hertha-Lindner Str. 10 – 12, 01067, Dresden, Germany E: info@urs.holdings GMP+ LAB-PEN  
Certificate for Registered laboratory shp20260113.7 You can verify the validity of this certificate using a QR code.





Number	Operation	Material/Matrix		
		Feed material	Feed additives and premixtures	Feed (compound feed and complementary feed)
<b>1.Mycotoxins</b>				
1.01	Aflatoxin B1	<input checked="" type="checkbox"/>	Not possible	<input checked="" type="checkbox"/>
<b>2.Dioxins/PCBs</b>				
2.01	Sum of dioxins and dioxin-like PCBs	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2.02	Dioxins	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2.03	Dioxin-like PCBs	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2.04	Non-dioxin-like PCBs	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>3.Heavy metals</b>				
3.01	Arsenic	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3.02	Lead	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3.03	Cadmium	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3.04	Mercury	<input checked="" type="checkbox"/>	Not possible	<input checked="" type="checkbox"/>
3.05	Fluorine	<input type="checkbox"/>	Not possible	<input type="checkbox"/>
<b>4.Pesticides</b>				
4.01	Pesticides	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Date of audit: 11. 3. 2026

Certificate number:	<b>007221-0658</b>
Start date:	<b>26. 5. 2026</b>
End date:	<b>9. 3. 2027</b>

On behalf of the certification body:



United Registrar of Systems GmbH, Penthouse Office Center, Hertha-Lindner Str. 10 – 12, 01067, Dresden, Germany E: info@urs.holdings GMP+ LAB-PEN Certificate for Registered laboratory shp20260113.7 You can verify the validity of this certificate using a QR code.

